JUNE 2024
EDITION

MAXI FORÊT

REAL WOOD INTERIOR COVERINGS



Work Realised by: Matière Première Architecture

TECHNICAL SHEETS
INTERIOR SIDINGS





Our raw material is a renewable resource that respects the principles of sustainable development.

MAXIFORET.COM

Innovating with quality products is our motivation to serve our customers well.

MAXI FORÊT
REAL WOOD INTERIOR COVERING

FINISHES


Interior Coatings


Opaque • UNLIMITIED COLOUR CHOICES






Semi-transparent - IMPREGNATING OIL







MAXIFORET.COM

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1



FLOORING


MAXIFORET.COM

Red Pine Flooring , Micro-V 8'', Color Match


TECHNICAL SHEET

WHITE PIN
PATRON 32

JUNE 2024







MAXIFORET.COM


Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6"	1 3/8" x 5 7/16''	5''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : White Pine
GRADE : «Premium Knots», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried (kd), double drying with moisture content of 12% or less.
LENGTHS : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Stained on 4 sides, kiln-dried

FINISH CHOICES

SEMI-TRANSPARENT




SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET


RED PINE

HIT AND MISS

JUNE 2024








Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6″	7/8'' x5 3/8''	5 1/8''	2 sides	concealed staples
8″	7/8'' x 7 3/8''	7 1/8''	2 sides	concealed staples
10″	7/8'' x 9 3/8''	9 1/8''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Red Pine
GRADE : «Premium Knots», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried (kd), double drying with moisture content of 12% or less.
LENGTHS : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Stained on 4 sides, kiln-dried.

FINISH CHOICES

OILED



MAXIFORET.COM


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET


LARCH

MICRO-V

JUNE 2024








Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6"	3/4'' x5 1/4'''	5 ''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Larch
GRADE : «Premium Knots», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried (kd), double drying with moisture content of 12% or less.
LENGTHS : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Stained on 4 sides, kiln-dried.

FINISH CHOICES

OILED




MAXIFORET.COM

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1


TECHNICAL SHEET

RED PINE
MICRO-V

JUNE 2024








Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6″	7/8'' x5 3/8''	5 1/8''	2 sides	concealed staples
8″	7/8'' x 7 3/8''	7 1/8''	2 sides	concealed staples
10″	7/8'' x 9 3/8''	9 1/8''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Red Pine
GRADE : «Premium Knots», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried (kd), double drying with moisture content of 12% or less.
LENGTHS : Varied from 4' à 16'.
FACTORY STAIN APPLICATION : Stained on 4 sides, kiln-dried.

FINISH CHOICES

OILED



MAXIFORET.COM

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1



WALL CLADDING

Spruce panelling , classic 6'', brushed, 2 coats of white opaque

MAXIFORET.COM

TECHNICAL SHEET


RED CEDAR


DOUBLE “CLAIRE VOIE”

JUNE 2024









Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
5	7/8'' x 4 1/4''	3 1/4''	N/A	nails

WOOD SPECIFICATIONS

ESSENCE : Red Cedar from Western Canada.
GRADE : «Premium Knots or Select», sound knot structure, with longitudinal grain, according to 204 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
LENGTHS : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Stain on all sides, kiln-dried.


MAXIFORET.COM

FINISH CHOICES

SEMI-TRANSPARENT



OPAQUE 1 COAT



OPAQUE 2 COATS

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET


WHITE PIN


PATRON 24 / REVERSIBLE

JUNE 2024









Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6"	5/8'' x 5 7/16''	5 1/8''	2 sides	concealed staples
8"	5/8'' x 7 7/16''	7 1/8''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : White Pine
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried (kd), double drying with moisture content of 12% or less.
LENGTHS : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Stained on 4 sides, kiln-dried.


MAXIFORET.COM

FINISH CHOICES

SEMI-TRANSPARENT



OPAQUE 1 COAT



OPAQUE 2 COATS


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET


WHITE PINE

NORDIK / MICRO-V

JUNE 2024







Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
8"	5/8'' x 7 9/16''	7 1/4''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : White Pine
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried (kd), double drying with moisture content of 12% or less.
LENGTHS : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Stained on 4 sides, kiln-dried.

MAXIFORET.COM

FINISH CHOICES

SEMI-TRANSPARENT



OPAQUE 1 COAT



OPAQUE 2 COATS

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET


SPRUCE


PATRON 24 / REVERSIBLE (RAW/ SMOOTH)

JUNE 2024









Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6"	5/8'' x 5 5/16''	5''	2 côtés	concealed staples

WOOD SPECIFICATIONS

ESSENCE : White Spruce from Quebec.
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried (kd), double drying with moisture content of 12% or less.
LENGTHS : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Stained on 4 sides, kiln-dried.


MAXIFORET.COM

FINISH CHOICES

SEMI-TRANSPARENT



OPAQUE 1 COAT



OPAQUE 2 COATS


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET


SPRUCE

PATRON 24 / MICRO-V

JUNE 2024







Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6"	5/8'' x 5 5/16''	5''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : White Spruce of Quebec.
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried (kd), double drying with moisture content of 12% or less.
LENGTHS : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Stained on 4 sides, kiln-dried.


MAXIFORET.COM

FINISH CHOICES

SEMI-TRANSPARENT



OPAQUE 1 COAT



OPAQUE 2 COATS


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET


SELECT POPLAR

PATRON 14

JUNE 2024







MAXIFORET.COM

Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6"	3/4'' x 5 7/16''	5 1/8''	2 sides	concealed staples
7"	3/4'' x 6 7/16''	6 1/8''	2 sides	concealed staples

WOOD SPECIFICATIONS


ESSENCE : Select Poplar
GRADE : «Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried (kd), double drying with moisture content of 12% or less.
LENGTHS : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Stained on 4 sides, kiln-dried.

FINISH CHOICES

SEMI-TRANSPARENT



OPAQUE 1 COAT



OPAQUE 2 COATS


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET


WHITE PINE

PATRON 17/19

JUNE 2024







Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6"	5/8" x 5 5/16"	5 "	2 sides	concealed staples
8"	5/8" x 7 5/16"	7 "	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : White Pine
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried (kd), double drying with moisture content of 12% or less.
LENGTHS : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Stained on 4 sides, kiln-dried.


MAXIFORET.COM

FINISH CHOICES

SEMI-TRANSPARENT



OPAQUE 1 COUCHE



OPAQUE 2 COUCHES

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1


TECHNICAL SHEET

WHITE PINE


PATRON 20

JUNE 2024









MAXIFORET.COM

Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4"	5/8'' x 3 1/8''	3 7/16''	2 sides	concealed staples
6"	5/8'' x 5 1/8''	5 7/16''	2 sides	concealed staples
8"	5/8'' x 7 1/8''	7 7/16''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : White Pine
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried (kd), double drying with moisture content of 12% or less.
LENGTHS : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Stained on 4 sides, kiln-dried.

FINISH CHOICES

SEMI-TRANSPARENT



OPAQUE 1 COAT



OPAQUE 2 COATS

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 |2389 Blvd. des Récollets G8Z 4G1



REAL WOOD INTERIOR COVERINGS