FEBRUARY 2025
EDITION

MAXI FORÊT

REAL WOOD SIDINGS



Spruce , Contemporary 6'' Profile , opaque, “roche de volcan”

TECHNICAL SHEETS
EXTERIOR SIDING





Our raw material is a renewable resource that respects the principles of sustainable development.

MAXIFORET.COM

Innovating with quality products is our motivation to serve our customers well.

MAXIFORET.COM

MAXI FORÊT
REAL WOOD SIDINGS

FEBRUARY 2025

SYPNOTIC TABLE

Exterior Siding

		SPRUCE	RED CEDAR	WHITE CEDAR ALASKA CEDAR	WHITE CEDAR SELECT	RED CEDAR SELECT
	CONTEMPORARY	X	X	X	X	X
PROFILES	CLASSIC	X	X	X	X	X
PROFILES	CLAPBOARD	X				
PROFILES	**BOARD AND BATTEN	X				
PROFILES	SHINGLE STYLE	X				
PROFILES	*ROUND-TOP	X				
PROFILES	*BELUGA	X				
PROFILES	*SQUARE NECK	X				
PROFILES	*CANAL 45	X				
PROFILES	SCANDINAVIAN	X				
PROFILES	SHINGLE		X	X ***		
TEXTURES	RAW	X	X	X	X	X
TEXTURES	BRUSHED	X	X	X	X	X
TEXTURES	SMOOTH		X	X	X	X
DIMENSIONS	1X4	X	X	X	X	X
DIMENSIONS	1 XX 45		X	X	X	
DIMENSIONS	11 XX 66	X	X	X	X	X
DIMENSIONS	*1X8	X				
DIMENSIONS	* *1X10	X				
FINISHES	OPAQUE	X	X	X	X	X
FINISHES	HYBRID 2 COATS	X	X	X	X	X
FINISHES	HYBRID 3 COATS	X	X	X	X	X
FINISHES	PENETRATING OIL	X	X	X	X	X
FINISHES	VINTAGE GREY PLUS		X	X	X	X

*available in 8"
** available in 8" & 10"
*** white cedar only

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

MAXI FORÊT

REAL WOOD SIDING

FINISHES

Exterior Siding

Opaque -UNLIMITED COLOR CHOICES-






Hybrid -NATURAL APPEARANCE -





Semi-transparent - IMPREGNATING OIL -







*Vintage gray plus -AGING ACCELERATOR -







* finish available on cedar only

MAXIFORET.COM

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1



SPRUCE

MAXIFORET.COM


Spruce, contemporary profile 6", hybrid 2 tones / 3 coats DT3-5000


FSC®
SAI-COC-001863

TECHNICAL SHEET

SPRUCE - CONTEMPORARY

FEBRUARY 2025









Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	11/16'' x 3 5/16''	2 3/4''	4 sides	concealed staples
6''	11/16'' x 5 3/16''	4 5/8''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Quebec White Spruce.
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1


MAXIFORET.COM

TECHNICAL SHEET

SPRUCE - CONTEMPORARY

FEBRUARY 2025









Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	11/16'' x 3 5/16''	2 3/4''	4 sides	concealed staples
6''	11/16'' x 5 3/16''	4 5/8''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Quebec White Spruce.
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1


TECHNICAL SHEET

SPRUCE - CLAPBOARD

FEBRUARY 2025











MAXIFORET.COM

Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	3/4'' x 3 3/8''	2 3/4''	4 sides	concealed staples
6''	7/8'' x 5 3/16''	4 5/8''	4 sides	concealed staples
8''	1 1/16'' x 7''	6 1/2''	N/A	visible nails

WOOD SPECIFICATIONS

ESSENCE : Quebec White Spruce.
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

FINISHES WARRANTY


OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

SPRUCE - BOARD AND BATTEN







FEBRUARY 2025

MAXIFORET.COM

Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
joint	3/4'' x 1 5/8''	1 5/8''	N/A	visible nails
8''	3/4'' x 7 1/4''	7 1/2''	N/A	visible nails
10''	3/4'' x 9 1/4''	9 1/2''	N/A	visible nails

WOOD SPECIFICATIONS

ESSENCE : Quebec White Spruce.
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

FINISHES WARRANTY

OPAQUE
15 years*
UNLIMITED COLOUR CHOICE

HYBRID 2 TONES
8 years*
2 COATS

HYBRID 2 TONES
15 years*
3 COATS

SEMI-TRANSPARENT
3 years*
LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

SPRUCE - SCANDINAVIAN

FEBRUARY 2025







Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6''	11/16'' x 5 3/16''	4 5/8''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Quebec White Spruce.
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

SPRUCE- ROUND TOP

FEBRUARY 2025









Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6'' 8''	11/16'' x 5 3/16'' 5/8'' x 7''	4 5/8'' 6 1/2''	4 sides N/A	concealed staples visible nails

WOOD SPECIFICATIONS

ESSENCE : Quebec White Spruce
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

SPRUCE - SQUARE NECK

FEBRUARY 2025







Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6''	11/16'' x 5 3/16''	4 5/8''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Quebec White Spruce.
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1


TECHNICAL SHEET

SPRUCE- 6'' STUD CHANNEL

FEBRUARY 2025







Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6''	11/16'' x 5 1/4''	4 5/8''	N/A	visible nails

WOOD SPECIFICATIONS

ESSENCE : Quebec White Spruce
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

FINISHES WARRANTY

OPAQUE
15 years*
UNLIMITED COLOUR CHOICE

HYBRID 2 TONES
8 years*
2 COATS

HYBRID 2 TONES
15 years*
3 COATS

SEMI-TRANSPARENT
3 years*
LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

SPRUCE - CHANNEL

FEBRUARY 2025







Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6''	11/16'' x 5 3/16''	4 5/8''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Quebec White Spruce.
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

SPRUCE - SHINGLE STYLE

FEBRUARY 2025









Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6''	7/8'' x 5 3/16''	4 5/8''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE :Quebec White Spruce.
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

SPRUCE - SQUARE JOINT

FEBRUARY 2025







Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
8''	5/8'' x 7''	6 1/2''	N/A	visible nails

WOOD SPECIFICATIONS

ESSENCE : Quebec White Spruce.
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1


TECHNICAL SHEET


SPRUCE - BELUGA


FEBRUARY 2025











Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	1 3/8'' x 3 3/8''	2 3/4''	2 sides	concealed staples
6''	1 3/8'' x 5 3/16''	4 5/8''	2 sides	concealed staples
8''	1 3/8'' x 7''	6 1/4''	N/A	visible nails

WOOD SPECIFICATIONS

ESSENCE : Quebec White Spruce
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

MAXIFORET.COM

FINISHES WARRANTY


OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

SPRUCE - DOUBLE CONTEMPORARY







FEBRRUARY 2025

Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6''	11/16'' x 5 1/4''	4 5/8''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Quebec White Spruce
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1


MAXIFORET.COM

TECHNICAL SHEET

SPRUCE - 5/4'' MOLDINGS

FEBRUARY 2025







Nominal Width	Actual Dimension	Visible Surface	Fastening
2''	1 1/4'' x 1 1/4''	1 1/4''	visible nails
3''	1 1/4'' x 2 1/4''	2 1/4''	visible nails
4''	1 1/4'' x 3 1/4''	3 1/4''	visible nails
5''	1 1/4'' x 4 1/4''	4 1/4''	visible nails
6''	1 1/4'' x 5 1/4''	5 1/4''	visible nails
8''	1 1/4'' x 7 ''	7 ''	visible nails

MAXIFORET.COM

SPÉCIFICATIONS DU BOIS

ESSENCE : Quebec White Spruce
GRADE : «Premium Knots or Select», according to 114 (a) of NLGA grading rules.
MANUFACTURING : Kiln-dried wood (kd), with content moisture of 12% or less.
CERTIFICATION : FSC® certification is available on request prior to ordering.
LENGTH : Varied from 4' to 16'.
FACTORY STAIN APPLICATION : Dyeing on 6 sides, oven dried.

FINISHES WARRANTY

OPAQUE
15 years*
UNLIMITED COLOUR CHOICE

HYBRID 2 TONES
8 years*
2 COATS

HYBRID 2 TONES
15 years*
3 COATS

SEMI-TRANSPARENT
3 years*
LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1



CEDAR


White Cedar , contemporary 4'', raw, vintage gray plus


MAXIFORET.COM

TECHNICAL SHEET

KNOTTY RED CEDAR - CONTEMPORARY

*special order











FÉVRIER 2024

MAXIFORET.COM

Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	5/8'' x 3 9/16''	2 3/4''	2 sides	concealed staples
6''	5/8'' x 5 9/16''	4 5/8''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE: Western red cedar.
GRADE: “Premium Knots or Select”, sound knot structure, longitudinal grain, according to 204 (a) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varies from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides.
AGING ACCELERATOR: Vintage gray plus.

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

KNOTTY RED CEDAR - CONTEMPORARY


* Special Order

FÉVRIER 2024









Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4 1/4	7/8" x 4 1/4"	3 3/4"	N/A	nails

WOOD SPECIFICATIONS

ESSENCE : Western red cedar.
GRADE: “Premium Knots or Select”, sound knot structure, longitudinal grain, according to 204 (a) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varies from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides.
AGING ACCELERATOR: Vintage gray plus.

FINISHES WARRANTY

OPAQUE
15 years*
UNLIMITED COLOUR CHOICE

HYBRID 2 TONES
8 years*
2 COATS

HYBRID 2 TONES
15 years*
3 COATS

SEMI-TRANSPARENT
3 years*
LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1


MAXIFORET.COM

TECHNICAL SHEET

KNOTTY RED CEDAR - V-JOINT

FEBRUARY 2025











MAXIFORET.COM

Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	11/16'' x 3 1/4''	3''	2 sides	concealed staples
6''	11/16'' x 5 3/8''	5''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE: Western red cedar.
GRADE: “Premium Knots or Select”, sound knot structure, longitudinal grain, according to 204 (a) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varies from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides.
AGING ACCELERATOR: Vintage gray plus.

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

KNOTTY RED CEDAR SUGI

NOUEUX - V-JOINT

FEBRUARY 2025







Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
5''	5/8'' x 4 1/4''	4 1/4''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE: Western red cedar.
GRADE: "Premium Knots or Select", sound knot structure, longitudinal grain, according to 204 (a) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varies from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides.
AGING ACCELERATOR: Vintage gray plus.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

KNOTTY RED CEDAR - CLASSIC

*special order











FÉVRIER 2024

MAXIFORET.COM

Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	11/16" x 3 9/16"	3''	2 sides	concealed staples
6''	11/16" x 5 9/16"	5''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE: Western red cedar.
GRADE: "Premium Knots or Select", sound knot structure, longitudinal grain, according to 204 (a) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varies from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides.
AGING ACCELERATOR: Vintage gray plus.

FINISHES WARRANTY

OPAQUE
15 years*
UNLIMITED COLOUR CHOICE

HYBRID 2 TONES
8 years*
2 COATS

HYBRID 2 TONES
15 years*
3 COATS

SEMI-TRANSPARENT
3 years*
LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

KNOTTY WHITE CEDAR - CLASSIC

FEBRUARY 2025









Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	3/4'' x 3 9/16''	3''	4 sides	concealed staples
5''	3/4'' x 4 9/16''	4''	4 sides	concealed staples
6''	3/4'' x 5 9/16''	5''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Eastern White Cedar
GRADE: "Premium Knots or Select", sound knot structure, longitudinal grain, according to 204 (a) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varies from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides.
AGING ACCELERATOR: Vintage gray plus.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

KNOTTY WHITE CEDAR - CONTEMPORARY

FEBRUARY 2025









Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	3/4'' x 3 9/16''	3''	4 sides	concealed staples
5''	3/4'' x 4 9/16''	4''	4 sides	concealed staples
6''	3/4'' x 5 9/16''	5''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Eastern White Cedar
GRADE: “Premium Knots or Select”, sound knot structure, longitudinal grain, according to 204 (a) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varies from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides.
AGING ACCELERATOR: Vintage gray plus.

MAXIFORET.COM

FINISHES WARRANTY


OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

WHITE - SQUARE JOINT







FEBRUARY 2025

MAXIFORET.COM

Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	3/4'' x 3 3/4''	3 1/4''	N/A	visible nails
5''	3/4'' x 4 3/4''	4 1/4''	N/A	visible nails
6''	3/4'' x 5 3/4''	5 1/4''	N/A	visible nails

WOOD SPECIFICATIONS

ESSENCE : Eastern White Cedar
GRADE: “Premium Knots or Select”, sound knot structure, longitudinal grain, according to 204 (a) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varies from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides.
AGING ACCELERATOR: Vintage gray plus.

FINISHES WARRANTY

3
years*

SEMI-TRANSPARENT
LARGE CHOICE
OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1


TECHNICAL SHEET


SELECT RED CEDAR - CONTEMPORARY

*special order, 4''









FEBRUARY 2025

MAXIFORET.COM

Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	3/4'' x 3 9/16''	3''	2 sides	concealed staples
5''	3/4'' x 4 9/16''	4''	2 sides	concealed staples
6''	3/4'' x 5 9/16''	5''	4 sides	aconcealed staples

WOOD SPECIFICATIONS

ESSENCE : Western red cedar.
GRADE: “Select” according to 200 (b-c) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varied from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides
AGING ACCELERATOR: Vintage gray plus.

FINISHES WARRANTY

OPAQUE
15 years*
UNLIMITED COLOUR CHOICE

HYBRID 2 TONES
8 years*
2 COATS

HYBRID 2 TONES
15 years*
3 COATS

SEMI-TRANSPARENT
3 years*
LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

SELECT RED CEDAR-CLASSIC

FEBRUARY 2025











Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	11/16'' x 3 9/16''	3''	4 sides	concealed staples
6''	3/4'' x 5 9/16''	5''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Western red cedar.
GRADE: "Select" according to 200 (b-c) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varied from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides
AGING ACCELERATOR: Vintage gray plus.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

SELECT RED CEDAR-SCANDINAVIAN

*special order









FEBRUARY 2025

MAXIFORET.COM

Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
6''	11/16'' x 5 9/16''	5''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Western red cedar.
GRADE: "Select" according to 200 (b-c) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varied from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides
AGING ACCELERATOR: Vintage gray plus.

FINISHES WARRANTY

OPAQUE
15 years*
UNLIMITED COLOUR CHOICE

HYBRID 2 TONES
8 years*
2 COATS

HYBRID 2 TONES
15 years*
3 COATS

SEMI-TRANSPARENT
3 years*
LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

SELECT WHITE CEDAR - CLASSIC


*special order, raw finish


FEBRUARY 2025














Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	11/16'' x 3 9/16''	3''	4 sides	concealed staples
5''	3/4'' x 4 9/16''	4''	4 sides	concealed staples
6''	3/4'' x 5 9/16''	5''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Eastern White Cedar
GRADE: “Select” according to 200 (b-c) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varied from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides
AGING ACCELERATOR: Vintage gray plus.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1


TECHNICAL SHEET


SELECT WHITE CEDAR - CONTEMPORARY

*special order, raw finish

FEBRUARY 2025














Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	3/4'' x 3 9/16''	3''	2 sides	concealed staples
5''	3/4'' x 4 9/16''	4''	2 sides	concealed staples
6''	3/4'' x 5 9/16''	5''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Eastern White Cedar
GRADE: "Select" according to 200 (b-c) of the NLGA classification rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varied from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides
AGING ACCELERATOR: Vintage gray plus.

MAXIFORET.COM

FINISHES WARRANTY


OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

TECHNICAL SHEET

KNOTTY ALASKA CEDAR - CLASSIC


FEBRUARY 2025











Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	3/4'' x 3 9/16''	3''	4 sides	concealed staples
6''	3/4'' x 5 9/16''	5''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Alaskan cedar.
GRADE: "Premium Knotty or Select", sound knot structure, longitudinal grain and mixed, according to 204 (a) of the NLGA grading rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less. LENGTHS: Varies from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides.
AGING ACCELERATOR: Vintage gray plus.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

KNOTTY ALASKA CEDAR-CONTEMPORARY

FEBRUARY 2025











Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	3/4'' x 3 9/16''	3''	4 sides	concealed staples
6''	3/4'' x 5 9/16''	5''	4 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Alaskan cedar.
GRADE: “Premium Knotty or Select”, sound knot structure, longitudinal grain and mixed, according to 204 (a) of the NLGA grading rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varies from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides.
AGING ACCELERATOR: Vintage gray plus.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS


* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

TECHNICAL SHEET

SELECT ALASKA CEDAR - CLASSIC


FEBRUARY 2025











Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	11/16'' x 3 9/16''	3''	4 sides	concealed staples
6''	3/4'' x 5 9/16''	5''	4 sides	concealed staples

SWOOD SPECIFICATIONS

ESSENCE : Alaskan cedar.
GRADE: “Premium Knotty or Select”, sound knot structure, longitudinal grain and mixed, according to 204 (a) of the NLGA grading rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varies from 4' to 16'. FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides.
AGING ACCELERATOR: Vintage gray plus.

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.


SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1


MAXIFORET.COM

TECHNICAL SHEET

SELECT ALASKA CEDAR - CONTEMPORARY

FEBRUARY 2025







Nominal Width	Actual Dimension	Visible Surface	Tongue & Groove	Fastening
4''	3/4'' x 3 9/16''	3''	2 sides	concealed staples
6''	3/4'' x 5 9/16''	5''	2 sides	concealed staples

WOOD SPECIFICATIONS

ESSENCE : Alaskan cedar.
GRADE: "Premium Knotty or Select", sound knot structure, longitudinal grain and mixed, according to 204 (a) of the NLGA grading rules.
MANUFACTURING: Dry wood (kd), with moisture content of 12% and less.
LENGTHS: Varies from 4' to 16'.
FACTORY STAIN APPLICATION: Stain on 6 oven-dried sides.
AGING ACCELERATOR: Vintage gray plus.

MAXIFORET.COM

FINISHES WARRANTY

OPAQUE	HYBRID 2 TONES	HYBRID 2 TONES	SEMI-TRANSPARENT
15 years*	8 years*	15 years*	3 years*
UNLIMITED COLOUR CHOICE	2 COATS	3 COATS	LARGE CHOICE OF COLORS

* Certain conditions apply, see detailed warranty conditions.
Wood guaranteed for 50 years against rotting, see the conditions of said guarantee on the internet at: www.maxiforet.com
For the storage of the product, the preparation of the walls and the installation of the cliddling, see the INSTALLATION GUIDE.

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1



Hardware

white cedar , contemporary 4'', raw, vintage gray plus

MAXIFORET.COM


TECHNICAL SHEET ALUMINIUM MOLDINGS

FEBRUARY 2025

MAXIFORET.COM


VENTILATED UPPER SOFFIT





EXTERIEUR CORNER












INTERIOR CORNER






VENTILATED SOFFIT





VENTILATED SOFFIT






Natural
Colored
Aluminium


J-SHAPED START MOLDING





VENTILATED L





For product storage, wall preparation and siding installation, see INSTALLATION GUIDE

SAINT-JÉRÔME 450.431.6699 | 700 Blvd. Roland-Godard J7Y 4C5 | TROIS-RIVIÈRES 819.840.2800 | 2389 Blvd. des Récollets G8Z 4G1

MAXI FORÊT

REAL WOOD COVERINGS